



Industrial Batteries - Classic GroE

The proven, reliable energy storage

Specifications

Deutsche EXIDE GmbH
Im Thiergarten
63654 Büdingen - Germany


Tel.: +49 (0) 60 42 / 81 544
Fax: +49 (0) 60 42 / 81 398

www.industrialenergy.exide.com


Specifications

- Classic GroE batteries bridge short and long discharge times, reliable and safely, with a high stable voltage
- Extreme low internal resistance and high current output
- Low maintenance; no antimony in the positive plate
- Positive pure-lead, large-format plates with a laminated structure, pasted negative grid plates
- Transparent cell containers in SAN plastic make inspection and maintenance easy
- Minimal water consumption on float charge
- Low self-discharge
- Nominal capacity 75 - 2600 Ah C_{10}
- According to DIN 40738
- Terminal design with HAGEN patentpol
- The high production quality and extreme low acid density ensure a long Design life of 25 years

Applications



Classic GroE batteries will be used mainly in power supply utilities (power stations) because of their extreme reliability and excessive high performance.




Platé plate



Nominal capacity
75 - 2600 Ah



Single cell



Design life:
25 years



Low
maintenance



Recyclable




Special high
current performance

Cells with GroE 25-Plate

Type	Part number	Nominal voltage	Nominal capacity	Length	Width	Height up to top of cover	Height* incl. connectors	Installed length	Weight cell including acid	Weight acid **	Internal resistance	Short circuit current	Terminal
		V	C ₁₀ 1,8 V/C 20 °C Ah	(l) max. mm	(b/w) max. mm	(h ₁) max. mm	max. mm	(B/L) mm	approx. kg	approx. kg	mΩ	A	
3 GroE 75	NVGR020075WC0FA	2	75	182	153	364	411	192	17.5	6.6	1.268	1624	F-M8
4 GroE 100	NVGR020100WC0FA	2	100	182	153	364	411	192	19.7	6.4	0.951	2165	F-M8
5 GroE 125	NVGR020125WC0FA	2	125	182	153	364	411	192	21.9	6.2	0.761	2706	F-M8
6 GroE 150	NVGR020150WC0FA	2	150	182	153	364	411	192	24.1	6.0	0.634	3247	F-M8
7 GroE 175	NVGR020175WC0FA	2	175	182	153	364	411	192	26.3	5.8	0.543	3788	F-M8
8 GroE 200	NVGR020200WC0FA	2	200	182	228	364	411	192	33.2	9.4	0.475	4329	F-M8
9 GroE 225	NVGR020225WC0FA	2	225	182	228	364	411	192	35.4	9.2	0.422	4871	F-M8
10 GroE 250	NVGR020250WC0FA	2	250	182	228	364	411	192	37.6	9.0	0.380	5412	F-M8
11 GroE 275	NVGR020275WC0FA	2	275	182	228	364	411	192	39.8	8.8	0.346	5953	F-M8
12 GroE 300	NVGR020300WC0FA	2	300	182	228	364	411	192	42.0	8.6	0.317	6494	F-M8
13 GroE 325	NVGR020325WC0FA	2	325	182	338	364	411	192	52.5	14.1	0.292	7035	F-M8
14 GroE 350	NVGR020350WC0FA	2	350	182	338	364	411	192	54.7	13.8	0.271	7577	F-M8
15 GroE 375	NVGR020375WC0FA	2	375	182	338	364	411	192	56.9	13.6	0.253	8118	F-M8
16 GroE 400	NVGR020400WC0FA	2	400	182	338	364	411	192	59.1	13.3	0.237	8659	F-M8
17 GroE 425	NVGR020425WC0FA	2	425	182	338	364	411	192	61.3	13.0	0.223	9200	F-M8
18 GroE 450	NVGR020450WC0FA	2	450	182	338	364	411	192	63.5	12.7	0.211	9741	F-M8


* The above mentioned height can differ depending on the used vent(s)

** Acid density $d_N = 1,22 \text{ kg/l}$



Container, terminal and torque

Container:
SAN (Styrolacrylnitril)



25 Nm

Technical characteristics and data



Cells with GroE 100-Plate

Type	Part number	Nominal voltage	Nominal capacity C10 1,8 V/C 20 °C	Length (l)	Width (b/w)	Height up to top of cover (h ₁)	Height* incl. connectors	Installed length (B/L)	Weight cell including acid	Weight acid **	Internal resistance	Short circuit current	Terminal	Pole pairs
		V	Ah	max. mm	max. mm	max. mm	max. mm	mm	approx. kg	approx. kg	mΩ	A		
5 GroE 500	NVGR020500WC0FA	2	500	328	268	542	590	338	95	34	0.339	6062	F-M8	1
6 GroE 600	NVGR020600WC0FA	2	600	328	268	542	590	338	104	33	0.283	7275	F-M8	1
7 GroE 700	NVGR020700WC0FA	2	700	328	268	542	590	338	113	32	0.242	8487	F-M8	2
8 GroE 800	NVGR020800WC0FA	2	800	328	268	542	590	338	122	31	0.212	9700	F-M8	2
9 GroE 900	NVGR020900WC0FA	2	900	328	268	542	590	338	131	30	0.188	10913	F-M8	2
10 GroE 1000	NVGR021000WC0FA	2	1000	328	268	542	590	338	140	29	0.169	12125	F-M8	2
11 GroE 1100	NVGR021100WC0FA	2	1100	328	268	542	590	338	149	28	0.154	13338	F-M8	2
12 GroE 1200	NVGR021200WC0FA	2	1200	328	348	542	590	338	170	39	0.141	14551	F-M8	3
13 GroE 1300	NVGR021300WC0FA	2	1300	328	348	542	590	338	179	38	0.130	15763	F-M8	3
14 GroE 1400	NVGR021400WC0FA	2	1400	328	348	542	590	338	188	37	0.121	16976	F-M8	3
15 GroE 1500	NVGR021500WC0FA	2	1500	328	348	542	590	338	197	36	0.113	18188	F-M8	3
16 GroE 1600	NVGR021600WC0FA	2	1600	328	438	542	590	338	222	49	0.106	19401	F-M8	3
17 GroE 1700	NVGR021700WC0FA	2	1700	328	438	542	590	338	231	48	0.099	20613	F-M8	3
18 GroE 1800	NVGR021800WC0FA	2	1800	328	438	542	590	338	240	47	0.094	21826	F-M8	3
19 GroE 1900	NVGR021900WC0FA	2	1900	328	438	542	590	338	249	46	0.089	23038	F-M8	3
20 GroE 2000	NVGR022000WC0FA	2	2000	328	438	542	590	338	258	45	0.084	24251	F-M8	3
21 GroE 2100	NVGR022100WC0FA	2	2100	328	528	542	590	338	285	58	0.080	25464	F-M8	4
22 GroE 2200	NVGR022200WC0FA	2	2200	328	528	542	590	338	294	57	0.077	26675	F-M8	4
23 GroE 2300	NVGR022300WC0FA	2	2300	328	528	542	590	338	303	56	0.073	27889	F-M8	4
24 GroE 2400	NVGR022400WC0FA	2	2400	328	528	542	590	338	312	55	0.070	29099	F-M8	4
25 GroE 2500	NVGR022500WC0FA	2	2500	328	573	542	590	338	325	60	0.067	30314	F-M8	4
26 GroE 2600	NVGR022600WC0FA	2	2600	328	573	542	590	338	334	59	0.065	31526	F-M8	4


* The above mentioned height can differ depending on the used vent(s)

** Acid density $d_N = 1,22 \text{ kg/l}$


Container, terminal and torque

Container:

SAN (Styrolacrylnitril)



20 Nm



Constant current discharge



1.90 V/C - Discharge in A at 20°C											
Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WC0FA	55.5	55.5	55.5	55.5	51.9	45.9	34.5	18.6	10.8	6.6
4 GroE 100	NVGR020100WC0FA	74.0	74.0	74.0	74.0	69.2	61.2	46.0	24.8	14.4	8.8
5 GroE 125	NVGR020125WC0FA	92.5	92.5	92.5	92.5	86.5	76.5	57.5	31.0	18.0	11.0
6 GroE 150	NVGR020150WC0FA	111.0	111.0	111.0	111.0	103.8	91.8	69.0	37.2	21.6	13.2
7 GroE 175	NVGR020175WC0FA	129.5	129.5	129.5	129.5	121.1	107.1	80.5	43.4	25.2	15.4
8 GroE 200	NVGR020200WC0FA	148.0	148.0	148.0	148.0	138.4	122.4	92.0	49.6	28.8	17.6
9 GroE 225	NVGR020225WC0FA	166.5	166.5	166.5	166.5	155.7	137.7	103.5	55.8	32.4	19.8
10 GroE 250	NVGR020250WC0FA	185.0	185.0	185.0	185.0	173.0	153.0	115.0	62.0	36.0	22.0
11 GroE 275	NVGR020275WC0FA	203.5	203.5	203.5	203.5	190.3	168.3	126.5	68.2	39.6	24.2
12 GroE 300	NVGR020300WC0FA	222.0	222.0	222.0	222.0	207.6	183.6	138.0	74.4	43.2	26.4
13 GroE 325	NVGR020325WC0FA	240.5	240.5	240.5	240.5	224.9	198.9	149.0	80.6	46.8	28.6
14 GroE 350	NVGR020350WC0FA	259.0	259.0	259.0	259.0	242.2	214.2	161.0	86.8	50.4	30.8
15 GroE 375	NVGR020375WC0FA	277.5	277.5	277.5	277.5	259.5	229.5	172.5	93.0	54.0	33.0
16 GroE 400	NVGR020400WC0FA	296.0	296.0	296.0	296.0	276.8	244.8	184.0	99.2	57.6	35.2
17 GroE 425	NVGR020425WC0FA	314.5	314.5	314.5	314.5	294.1	260.1	195.5	105.4	61.2	37.4
18 GroE 450	NVGR020450WC0FA	333.0	333.0	333.0	333.0	311.4	275.4	207.0	111.6	64.8	39.6
5 GroE 500	NVGR020500WC0FA	250.0	250.0	250.0	250.0	242.5	227.5	200.0	106.5	76.5	45.5
6 GroE 600	NVGR020600WC0FA	300.0	300.0	300.0	300.0	291.0	273.0	240.0	127.8	91.8	54.6
7 GroE 700	NVGR020700WC0FA	350.0	350.0	350.0	350.0	339.5	318.5	280.0	149.1	107.1	63.7
8 GroE 800	NVGR020800WC0FA	400.0	400.0	400.0	400.0	388.0	364.0	320.0	170.4	122.4	72.8
9 GroE 900	NVGR020900WC0FA	450.0	450.0	450.0	450.0	436.5	409.5	360.0	191.7	137.7	81.9
10 GroE 1000	NVGR021000WC0FA	500.0	500.0	500.0	500.0	485.0	455.0	400.0	213.0	153.0	91.0
11 GroE 1100	NVGR021100WC0FA	550.0	550.0	550.0	550.0	533.5	500.5	440.0	234.3	168.3	100.1
12 GroE 1200	NVGR021200WC0FA	600.0	600.0	600.0	600.0	582.0	546.0	480.0	255.6	183.6	109.2
13 GroE 1300	NVGR021300WC0FA	650.0	650.0	650.0	650.0	630.5	591.5	520.0	276.9	198.9	118.3
14 GroE 1400	NVGR021400WC0FA	700.0	700.0	700.0	700.0	679.0	637.0	560.0	298.2	214.2	127.4
15 GroE 1500	NVGR021500WC0FA	750.0	750.0	750.0	750.0	727.5	682.5	600.0	319.5	229.5	136.5
16 GroE 1600	NVGR021600WC0FA	800.0	800.0	800.0	800.0	776.0	728.0	640.0	340.5	244.8	145.6
17 GroE 1700	NVGR021700WC0FA	850.0	850.0	850.0	850.0	824.5	773.5	680.0	362.1	260.1	154.7
18 GroE 1800	NVGR021800WC0FA	900.0	900.0	900.0	900.0	873.0	819.0	720.0	383.4	275.4	163.8
19 GroE 1900	NVGR021900WC0FA	950.0	950.0	950.0	950.0	921.5	864.5	760.0	404.7	290.7	172.9
20 GroE 2000	NVGR022000WC0FA	1000.0	1000.0	1000.0	1000.0	970.0	910.0	800.0	426.0	306.0	182.0
21 GroE 2100	NVGR022100WC0FA	1050.0	1050.0	1050.0	1050.0	1018.5	955.5	840.0	447.3	321.3	191.1
22 GroE 2200	NVGR022200WC0FA	1100.0	1100.0	1100.0	1100.0	1067.0	1001.0	880.0	468.6	336.6	200.2
23 GroE 2300	NVGR022300WC0FA	1150.0	1150.0	1150.0	1150.0	1115.5	1046.5	920.0	489.9	351.9	209.3
24 GroE 2400	NVGR022400WC0FA	1200.0	1200.0	1200.0	1200.0	1164.0	1092.0	960.0	511.2	367.2	218.4
25 GroE 2500	NVGR022500WC0FA	1250.0	1250.0	1250.0	1250.0	1212.5	1137.5	1000.0	532.5	382.5	227.5
26 GroE 2600	NVGR022600WC0FA	1300.0	1300.0	1300.0	1300.0	1261.0	1183.0	1040.0	553.8	397.8	236.6

1.875 V/C - Discharge in A at 20°C											
Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WC0FA	72.0	72.0	72.0	68.4	63.0	54.0	39.0	19.5	12.9	6.9
4 GroE 100	NVGR020100WC0FA	96.0	96.0	96.0	91.2	84.0	72.0	52.0	26.0	17.2	9.2
5 GroE 125	NVGR020125WC0FA	120.0	120.0	120.0	114.0	105.0	90.0	65.0	32.5	21.5	11.5
6 GroE 150	NVGR020150WC0FA	144.0	144.0	144.0	136.8	126.0	108.0	78.0	39.0	25.8	13.8
7 GroE 175	NVGR020175WC0FA	168.0	168.0	168.0	159.6	147.0	126.0	91.0	45.5	30.1	16.1
8 GroE 200	NVGR020200WC0FA	192.0	192.0	192.0	182.4	168.0	144.0	104.0	52.0	34.4	18.4
9 GroE 225	NVGR020225WC0FA	216.0	216.0	216.0	205.2	189.0	162.0	117.0	58.5	38.7	20.7
10 GroE 250	NVGR020250WC0FA	240.0	240.0	240.0	228.0	210.0	180.0	130.0	65.0	43.0	23.0
11 GroE 275	NVGR020275WC0FA	264.0	264.0	264.0	250.8	231.0	198.0	143.0	71.5	47.3	25.3
12 GroE 300	NVGR020300WC0FA	288.0	288.0	288.0	273.6	252.0	216.0	156.0	78.0	51.6	27.6
13 GroE 325	NVGR020325WC0FA	312.0	312.0	312.0	296.4	273.0	234.0	169.0	84.5	55.9	29.9
14 GroE 350	NVGR020350WC0FA	336.0	336.0	336.0	319.2	294.0	252.0	182.0	91.0	60.2	32.2
15 GroE 375	NVGR020375WC0FA	360.0	360.0	360.0	342.0	315.0	270.0	195.0	97.5	64.5	34.5
16 GroE 400	NVGR020400WC0FA	384.0	384.0	384.0	364.8	336.0	288.0	208.0	104.0	68.8	36.8
17 GroE 425	NVGR020425WC0FA	408.0	408.0	408.0	387.6	357.0	306.0	221.0	110.5	73.1	39.1
18 GroE 450	NVGR020450WC0FA	432.0	432.0	432.0	410.4	378.0	324.0	234.0	117.0	77.4	41.4
5 GroE 500	NVGR020500WC0FA	340.0	340.0	340.0	340.0	320.0	300.0	220.0	117.5	84.0	48.5
6 GroE 600	NVGR020600WC0FA	408.0	408.0	408.0	408.0	384.0	360.0	264.0	141.0	100.8	58.2
7 GroE 700	NVGR020700WC0FA	476.0	476.0	476.0	476.0	448.0	420.0	308.0	164.5	117.6	67.9
8 GroE 800	NVGR020800WC0FA	544.0	544.0	544.0	544.0	512.0	480.0	352.0	188.0	134.4	77.6
9 GroE 900	NVGR020900WC0FA	612.0	612.0	612.0	612.0	576.0	540.0	396.0	211.5	151.2	87.3
10 GroE 1000	NVGR021000WC0FA	680.0	680.0	680.0	680.0	640.0	600.0	440.0	235.0	168.0	97.0
11 GroE 1100	NVGR021100WC0FA	748.0	748.0	748.0	748.0	704.0	660.0	484.0	258.5	184.8	106.7
12 GroE 1200	NVGR021200WC0FA	816.0	816.0	816.0	816.0	768.0	720.0	528.0	282.0	201.6	116.4
13 GroE 1300	NVGR021300WC0FA	884.0	884.0	884.0	884.0	832.0	780.0	572.0	305.5	218.4	126.1
14 GroE 1400	NVGR021400WC0FA	952.0	952.0	952.0	952.0	896.0	840.0	616.0	329.0	235.2	135.8
15 GroE 1500	NVGR021500WC0FA	1020.0	1020.0	1020.0	1020.0	960.0	900.0	660.0	352.5	252.0	145.5
16 GroE 1600	NVGR021600WC0FA	1088.0	1088.0	1088.0	1088.0	1024.0	960.0	704.0	376.0	268.8	155.2
17 GroE 1700	NVGR021700WC0FA	1156.0	1156.0	1156.0	1156.0	1088.0	1020.0	748.0	399.5	285.6	164.9
18 GroE 1800	NVGR021800WC0FA	1224.0	1224.0	1224.0	1224.0	1152.0	1080.0	792.0	423.0	302.4	174.6
19 GroE 1900	NVGR021900WC0FA	1292.0	1292.0	1292.0	1292.0	1216.0	1140.0	836.0	446.5	319.2	184.3
20 GroE 2000	NVGR022000WC0FA	1360.0	1360.0	1360.0	1360.0	1280.0	1200.0	880.0	470.0	336.0	194.0
21 GroE 2100	NVGR022100WC0FA	1428.0	1428.0	1428.0	1428.0	1344.0	1260.0	924.0	493.5	352.8	203.7
22 GroE 2200	NVGR022200WC0FA	1496.0	1496.0	1496.0	1496.0	1408.0	1320.0	968.0	517.0	369.6	213.4
23 GroE 2300	NVGR022300WC0FA	1564.0	1564.0	1564.0	1564.0	1472.0	1380.0	1012.0	540.5	386.4	223.1
24 GroE 2400	NVGR022400WC0FA	1632.0	1632.0	1632.0	1632.0	1536.0	1440.0	1056.0	564.0	403.2	232.8
25 GroE 2500	NVGR022500WC0FA	1700.0	1700.0	1700.0	1700.0	1600.0	1500.0	1100.0	587.5	420.0	242.5
26 GroE 2600	NVGR022600WC0FA	1768.0	1768.0	1768.0	1768.0	1664.0	1560.0	1144.0	611.0	436.8	252.2



Constant current discharge



1.85 V/C - Discharge in A at 20°C

Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WC0FA	93.0	93.0	86.4	78.0	70.2	60.0	42.0	19.8	14.4	7.2
4 GroE 100	NVGR020100WC0FA	124.0	124.0	115.2	104.0	93.6	80.0	56.0	26.4	19.2	9.6
5 GroE 125	NVGR020125WC0FA	155.0	155.0	144.0	130.0	117.0	100.0	70.0	33.0	24.0	12.0
6 GroE 150	NVGR020150WC0FA	186.0	186.0	172.8	156.0	140.4	120.0	84.0	39.6	28.8	14.4
7 GroE 175	NVGR020175WC0FA	217.0	217.0	201.6	182.0	163.8	140.0	98.0	46.2	33.6	16.8
8 GroE 200	NVGR020200WC0FA	248.0	248.0	230.4	208.0	187.2	160.0	112.0	52.8	38.4	19.2
9 GroE 225	NVGR020225WC0FA	279.0	279.0	259.2	234.0	210.6	180.0	126.0	59.4	43.2	21.6
10 GroE 250	NVGR020250WC0FA	310.0	310.0	288.0	260.0	234.0	200.0	140.0	66.0	48.0	24.0
11 GroE 275	NVGR020275WC0FA	341.0	341.0	316.8	286.0	257.4	220.0	154.0	72.6	52.8	26.4
12 GroE 300	NVGR020300WC0FA	372.0	372.0	345.6	312.0	280.8	240.0	168.0	79.2	57.6	28.8
13 GroE 325	NVGR020325WC0FA	403.0	403.0	374.4	338.0	304.2	260.0	182.0	85.8	62.4	31.2
14 GroE 350	NVGR020350WC0FA	434.0	434.0	403.2	364.0	327.6	280.0	196.0	92.4	67.2	33.6
15 GroE 375	NVGR020375WC0FA	465.0	465.0	432.0	390.0	351.0	300.0	210.0	99.0	72.0	36.0
16 GroE 400	NVGR020400WC0FA	496.0	496.0	460.8	416.0	374.4	320.0	224.0	105.6	76.8	38.4
17 GroE 425	NVGR020425WC0FA	527.0	527.0	489.6	442.0	397.8	340.0	238.0	112.2	81.6	40.8
18 GroE 450	NVGR020450WC0FA	558.0	558.0	518.4	468.0	421.2	360.0	252.0	118.8	86.4	43.2
5 GroE 500	NVGR020500WC0FA	450.0	450.0	450.0	420.0	375.0	330.0	245.0	130.0	91.0	50.0
6 GroE 600	NVGR020600WC0FA	540.0	540.0	540.0	504.0	450.0	396.0	294.0	156.0	109.2	60.0
7 GroE 700	NVGR020700WC0FA	630.0	630.0	630.0	588.0	525.0	462.0	343.0	182.0	127.4	70.0
8 GroE 800	NVGR020800WC0FA	720.0	720.0	720.0	672.0	600.0	528.0	392.0	208.0	145.6	80.0
9 GroE 900	NVGR020900WC0FA	810.0	810.0	810.0	756.0	675.0	594.0	441.0	234.0	163.8	90.0
10 GroE 1000	NVGR021000WC0FA	900.0	900.0	900.0	840.0	750.0	660.0	490.0	260.0	182.0	100.0
11 GroE 1100	NVGR021100WC0FA	990.0	990.0	990.0	924.0	825.0	726.0	539.0	286.0	200.2	110.0
12 GroE 1200	NVGR021200WC0FA	1080.0	1080.0	1080.0	1008.0	900.0	792.0	588.0	312.0	218.4	120.0
13 GroE 1300	NVGR021300WC0FA	1170.0	1170.0	1170.0	1092.0	975.0	858.0	637.0	338.0	236.6	130.0
14 GroE 1400	NVGR021400WC0FA	1260.0	1260.0	1260.0	1176.0	1050.0	924.0	686.0	364.0	254.8	140.0
15 GroE 1500	NVGR021500WC0FA	1350.0	1350.0	1350.0	1260.0	1125.0	990.0	735.0	390.0	273.0	150.0
16 GroE 1600	NVGR021600WC0FA	1440.0	1440.0	1440.0	1344.0	1200.0	1056.0	784.0	416.0	291.2	160.0
17 GroE 1700	NVGR021700WC0FA	1530.0	1530.0	1530.0	1428.0	1275.0	1122.0	833.0	442.0	309.4	170.0
18 GroE 1800	NVGR021800WC0FA	1620.0	1620.0	1620.0	1512.0	1350.0	1188.0	882.0	468.0	327.6	180.0
19 GroE 1900	NVGR021900WC0FA	1710.0	1710.0	1710.0	1596.0	1425.0	1254.0	931.0	494.0	345.8	190.0
20 GroE 2000	NVGR022000WC0FA	1800.0	1800.0	1800.0	1680.0	1500.0	1320.0	980.0	520.0	364.0	200.0
21 GroE 2100	NVGR022100WC0FA	1890.0	1890.0	1890.0	1764.0	1575.0	1386.0	1029.0	546.0	382.2	210.0
22 GroE 2200	NVGR022200WC0FA	1980.0	1980.0	1980.0	1848.0	1650.0	1452.0	1078.0	572.0	400.4	220.0
23 GroE 2300	NVGR022300WC0FA	2070.0	2070.0	2070.0	1932.0	1725.0	1518.0	1127.0	598.0	418.6	230.0
24 GroE 2400	NVGR022400WC0FA	2160.0	2160.0	2160.0	2016.0	1800.0	1584.0	1176.0	624.0	436.8	240.0
25 GroE 2500	NVGR022500WC0FA	2250.0	2250.0	2250.0	2100.0	1875.0	1650.0	1225.0	650.0	455.0	250.0
26 GroE 2600	NVGR022600WC0FA	2340.0	2340.0	2340.0	2184.0	1950.0	1716.0	1274.0	676.0	473.2	260.0

1.825 V/C - Discharge in A at 20°C

Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WC0FA	106.8	106.8	96.0	86.4	77.4	66.0	45.3	20.1	14.7	7.2
4 GroE 100	NVGR020100WC0FA	142.4	142.4	128.0	115.2	103.2	88.0	60.4	26.8	19.6	9.6
5 GroE 125	NVGR020125WC0FA	178.0	178.0	160.0	144.0	129.0	110.0	75.5	33.5	24.5	12.0
6 GroE 150	NVGR020150WC0FA	213.6	213.6	192.0	172.8	154.8	132.0	90.6	40.2	29.4	14.4
7 GroE 175	NVGR020175WC0FA	249.2	249.2	224.0	201.6	180.6	154.0	105.7	46.9	34.3	16.8
8 GroE 200	NVGR020200WC0FA	284.8	284.8	256.0	230.4	206.4	176.0	120.8	53.6	39.2	19.2
9 GroE 225	NVGR020225WC0FA	320.4	320.4	288.0	259.2	232.2	198.0	135.9	60.3	44.1	21.6
10 GroE 250	NVGR020250WC0FA	356.0	356.0	320.0	288.0	258.0	220.0	151.0	67.0	49.0	24.0
11 GroE 275	NVGR020275WC0FA	391.6	391.6	352.0	316.8	283.8	242.0	166.1	73.7	53.9	26.4
12 GroE 300	NVGR020300WC0FA	427.2	427.2	384.0	345.6	309.6	264.0	181.2	80.4	58.8	28.8
13 GroE 325	NVGR020325WC0FA	462.8	462.8	416.0	374.4	335.4	286.0	196.3	87.1	63.7	31.2
14 GroE 350	NVGR020350WC0FA	498.4	498.4	448.0	403.2	361.2	308.0	211.4	93.8	68.6	33.6
15 GroE 375	NVGR020375WC0FA	534.0	534.0	480.0	432.0	387.0	330.0	226.5	100.5	73.5	36.0
16 GroE 400	NVGR020400WC0FA	569.6	569.6	512.0	460.8	412.8	352.0	241.6	107.2	78.4	38.4
17 GroE 425	NVGR020425WC0FA	605.2	605.2	544.0	489.6	438.6	374.0	256.7	113.9	83.3	40.8
18 GroE 450	NVGR020450WC0FA	640.8	640.8	576.0	518.4	464.4	396.0	271.8	120.6	88.2	43.2
5 GroE 500	NVGR020500WC0FA	500.0	500.0	480.0	460.0	412.5	355.0	257.5	132.5	91.0	51.5
6 GroE 600	NVGR020600WC0FA	600.0	600.0	576.0	552.0	495.0	426.0	309.0	159.0	109.2	61.8
7 GroE 700	NVGR020700WC0FA	700.0	700.0	672.0	644.0	577.5	497.0	360.5	185.5	127.4	72.1
8 GroE 800	NVGR020800WC0FA	800.0	800.0	768.0	736.0	660.0	568.0	412.0	212.0	145.6	82.4
9 GroE 900	NVGR020900WC0FA	900.0	900.0	864.0	828.0	742.5	639.0	463.5	238.5	163.8	92.7
10 GroE 1000	NVGR021000WC0FA	1000.0	1000.0	960.0	920.0	825.0	710.0	515.0	265.0	182.0	103.0
11 GroE 1100	NVGR021100WC0FA	1100.0	1100.0	1056.0	1012.0	907.5	781.0	566.5	291.5	200.2	113.3
12 GroE 1200	NVGR021200WC0FA	1200.0	1200.0	1152.0	1104.0	990.0	852.0	618.0	318.0	218.4	123.6
13 GroE 1300	NVGR021300WC0FA	1300.0	1300.0	1248.0	1196.0	1072.5	923.0	669.5	344.5	236.6	133.9
14 GroE 1400	NVGR021400WC0FA	1400.0	1400.0	1344.0	1288.0	1155.0	994.0	721.0	371.0	254.8	144.2
15 GroE 1500	NVGR021500WC0FA	1500.0	1500.0	1440.0	1380.0	1273.5	1065.0	772.5	397.5	273.0	154.5
16 GroE 1600	NVGR021600WC0FA	1600.0	1600.0	1536.0	1472.0	1320.0	1136.0	824.0	424.0	291.2	164.8
17 GroE 1700	NVGR021700WC0FA	1700.0	1700.0	1632.0	1564.0	1402.5	1207.0	875.5	450.5	309.4	175.1
18 GroE 1800	NVGR021800WC0FA	1800.0	1800.0	1728.0	1656.0	1485.0	1278.0	927.0	477.0	327.6	185.4
19 GroE 1900	NVGR021900WC0FA	1900.0	1900.0	1824.0	1748.0	1567.5	1349.0	978.5	503.5	345.8	195.7
20 GroE 2000	NVGR022000WC0FA	2000.0	2000.0	1920.0	1840.0	1650.0	1420.0	1030.0	530.0	364.0	206.0
21 GroE 2100	NVGR022100WC0FA	2100.0	2100.0	2016.0	1932.0	1732.5	1491.0	1081.5	556.5	382.2	216.3
22 GroE 2200	NVGR022200WC0FA	2200.0	2200.0	2112.0	2024.0	1815.0	1562.0	1133.0	583.0	400.4	226.6
23 GroE 2300	NVGR022300WC0FA	2300.0	2300.0	2208.0	2116.0	1897.5	1633.0	1184.5	609.5	418.6	236.9
24 GroE 2400	NVGR022400WC0FA	2400.0	2400.0	2304.0	2208.0	1980.0	1704.0	1236.0	636.0	436.8	247.2
25 GroE 2500	NVGR022500WC0FA	2500.0	2500.0	2400.0	2300.0	2062.5	1775.0	1287.5	662.5	455.0	257.5
26 GroE 2600	NVGR022600WC0FA	2600.0	2600.0	2496.0	2392.0	2145.0	1846.0	1339.0	689.0	473.2	267.8



Constant current discharge



1.80 V/C - Discharge in A at 20°C

Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WC0FA	135,6	129,0	108,0	94,8	84,0	70,2	48,0	22,5	15,3	7,5
4 GroE 100	NVGR020100WC0FA	180,8	172,0	144,0	126,4	112,0	93,6	64,0	30,0	20,4	10,0
5 GroE 125	NVGR020125WC0FA	226,0	215,0	180,0	158,0	140,0	117,0	80,0	37,5	25,5	12,5
6 GroE 150	NVGR020150WC0FA	271,2	258,0	216,0	189,6	168,0	140,4	96,0	45,0	30,6	15,0
7 GroE 175	NVGR020175WC0FA	316,4	301,0	252,0	221,2	196,0	163,8	112,0	52,5	35,7	17,5
8 GroE 200	NVGR020200WC0FA	361,6	344,0	288,0	252,8	224,0	187,2	128,0	60,0	40,8	20,0
9 GroE 225	NVGR020225WC0FA	406,8	387,0	324,0	284,4	252,0	210,6	144,0	67,5	45,9	22,5
10 GroE 250	NVGR020250WC0FA	452,0	430,0	360,0	316,0	280,0	234,0	160,0	75,0	51,0	25,0
11 GroE 275	NVGR020275WC0FA	497,2	473,0	396,0	347,6	308,0	257,4	176,0	82,5	56,1	27,5
12 GroE 300	NVGR020300WC0FA	542,4	516,0	432,0	379,2	336,0	280,8	192,0	90,0	61,2	30,0
13 GroE 325	NVGR020325WC0FA	587,6	559,0	468,0	410,8	364,0	304,2	208,0	97,5	66,3	32,5
14 GroE 350	NVGR020350WC0FA	632,8	602,0	504,0	442,4	392,0	327,6	224,0	105,0	71,4	35,0
15 GroE 375	NVGR020375WC0FA	678,0	645,0	540,0	474,0	420,0	351,0	240,0	112,5	76,5	37,5
16 GroE 400	NVGR020400WC0FA	723,2	688,0	576,0	505,6	448,0	374,4	256,0	120,0	81,6	40,0
17 GroE 425	NVGR020425WC0FA	768,4	731,0	612,0	537,2	476,0	397,8	272,0	127,5	86,7	42,5
18 GroE 450	NVGR020450WC0FA	813,6	774,0	648,0	568,8	504,0	421,2	288,0	135,0	91,8	45,0
5 GroE 500	NVGR020500WC0FA	570,0	570,0	555,0	500,0	457,5	390,0	280,0	137,5	92,5	53,5
6 GroE 600	NVGR020600WC0FA	684,0	684,0	666,0	600,0	549,0	468,0	336,0	165,0	111,0	64,2
7 GroE 700	NVGR020700WC0FA	798,0	798,0	777,0	700,0	640,5	546,0	392,0	192,5	129,5	74,9
8 GroE 800	NVGR020800WC0FA	912,0	912,0	888,0	800,0	732,0	624,0	448,0	220,0	148,0	85,6
9 GroE 900	NVGR020900WC0FA	1026,0	1026,0	999,0	900,0	823,5	702,0	504,0	247,5	166,5	96,3
10 GroE 1000	NVGR021000WC0FA	1140,0	1140,0	1110,0	1000,0	915,0	780,0	560,0	275,0	185,0	107,0
11 GroE 1100	NVGR021100WC0FA	1254,0	1254,0	1221,0	1100,0	1006,5	858,0	616,0	302,5	203,5	117,7
12 GroE 1200	NVGR021200WC0FA	1368,0	1368,0	1332,0	1200,0	1098,0	936,0	672,0	330,0	222,0	128,4
13 GroE 1300	NVGR021300WC0FA	1482,0	1482,0	1443,0	1300,0	1189,5	1014,0	728,0	357,5	240,5	139,1
14 GroE 1400	NVGR021400WC0FA	1596,0	1596,0	1554,0	1400,0	1281,0	1092,0	784,0	385,0	259,0	149,8
15 GroE 1500	NVGR021500WC0FA	1710,0	1710,0	1665,0	1500,0	1372,5	1170,0	840,0	412,5	277,5	160,5
16 GroE 1600	NVGR021600WC0FA	1824,0	1824,0	1776,0	1600,0	1464,0	1248,0	896,0	440,0	296,0	171,2
17 GroE 1700	NVGR021700WC0FA	1938,0	1938,0	1887,0	1700,0	1555,5	1326,0	952,0	467,5	314,5	181,9
18 GroE 1800	NVGR021800WC0FA	2052,0	2052,0	1998,0	1800,0	1647,0	1404,0	1008,0	495,0	333,0	192,6
19 GroE 1900	NVGR021900WC0FA	2166,0	2166,0	2109,0	1900,0	1738,5	1482,0	1064,0	522,5	351,5	203,3
20 GroE 2000	NVGR022000WC0FA	2280,0	2280,0	2220,0	2000,0	1830,0	1560,0	1120,0	550,0	370,0	214,0
21 GroE 2100	NVGR022100WC0FA	2394,0	2394,0	2331,0	2100,0	1921,5	1638,0	1176,0	577,5	388,5	224,7
22 GroE 2200	NVGR022200WC0FA	2508,0	2508,0	2442,0	2200,0	2013,0	1716,0	1232,0	605,0	407,0	235,4
23 GroE 2300	NVGR022300WC0FA	2622,0	2622,0	2553,0	2300,0	2104,5	1794,0	1288,0	632,5	425,5	246,1
24 GroE 2400	NVGR022400WC0FA	2736,0	2736,0	2664,0	2400,0	2196,0	1872,0	1344,0	660,0	444,0	256,8
25 GroE 2500	NVGR022500WC0FA	2850,0	2850,0	2775,0	2500,0	2287,5	1950,0	1400,0	687,5	462,5	267,5
26 GroE 2600	NVGR022600WC0FA	2964,0	2964,0	2886,0	2600,0	2279,0	2028,0	1456,0	715,0	481,0	278,2

1.775 V/C - Discharge in A at 20°C

Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WC0FA	148,2	136,8	118,8	102,0	90,0	74,4	49,5	22,8	15,6	7,5
4 GroE 100	NVGR020100WC0FA	197,6	182,4	158,4	136,0	120,0	99,2	66,0	30,4	20,8	10,0
5 GroE 125	NVGR020125WC0FA	247,0	228,0	198,0	170,0	150,0	124,0	82,5	38,0	26,0	12,5
6 GroE 150	NVGR020150WC0FA	296,4	273,6	237,6	204,0	180,0	148,8	99,0	45,6	31,2	15,0
7 GroE 175	NVGR020175WC0FA	345,8	319,2	277,2	238,0	210,0	173,6	115,5	53,2	36,4	17,5
8 GroE 200	NVGR020200WC0FA	395,2	364,8	316,8	272,0	240,0	198,4	132,0	60,8	41,6	20,0
9 GroE 225	NVGR020225WC0FA	444,6	410,4	356,4	306,0	270,0	223,2	148,5	68,4	46,8	22,5
10 GroE 250	NVGR020250WC0FA	494,0	456,0	396,0	340,0	300,0	248,0	165,0	76,0	52,0	25,0
11 GroE 275	NVGR020275WC0FA	543,4	501,6	435,6	374,0	330,0	272,8	181,5	83,6	57,2	27,5
12 GroE 300	NVGR020300WC0FA	592,8	547,2	475,2	408,0	360,0	297,6	198,0	91,2	62,4	30,0
13 GroE 325	NVGR020325WC0FA	642,2	592,8	514,8	442,0	390,0	322,4	214,5	98,8	67,6	32,5
14 GroE 350	NVGR020350WC0FA	691,6	638,4	554,4	476,0	420,0	347,2	231,0	106,4	72,8	35,0
15 GroE 375	NVGR020375WC0FA	741,0	684,0	594,0	510,0	450,0	372,0	247,5	114,0	78,0	37,5
16 GroE 400	NVGR020400WC0FA	790,4	729,6	633,6	544,0	480,0	396,8	264,0	121,6	83,2	40,0
17 GroE 425	NVGR020425WC0FA	839,8	775,2	673,2	578,0	510,0	421,6	280,5	129,2	88,4	42,5
18 GroE 450	NVGR020450WC0FA	889,2	820,8	712,8	612,0	540,0	446,4	297,0	136,8	93,6	45,0
5 GroE 500	NVGR020500WC0FA	690,0	690,0	610,0	550,0	495,0	425,0	302,5	146,0	97,5	57,0
6 GroE 600	NVGR020600WC0FA	828,0	828,0	732,0	660,0	594,0	510,0	363,0	175,2	117,0	68,4
7 GroE 700	NVGR020700WC0FA	966,0	966,0	854,0	770,0	693,0	595,0	423,5	204,4	136,5	79,8
8 GroE 800	NVGR020800WC0FA	1104,0	1104,0	976,0	880,0	792,0	680,0	484,0	233,6	156,0	91,2
9 GroE 900	NVGR020900WC0FA	1242,0	1242,0	1098,0	990,0	891,0	765,0	544,5	262,8	175,5	102,6
10 GroE 1000	NVGR021000WC0FA	1380,0	1380,0	1220,0	1100,0	990,0	850,0	605,0	292,0	195,0	114,0
11 GroE 1100	NVGR021100WC0FA	1518,0	1518,0	1342,0	1210,0	1089,0	935,0	665,5	321,2	214,5	125,4
12 GroE 1200	NVGR021200WC0FA	1656,0	1656,0	1464,0	1320,0	1188,0	1020,0	726,0	350,4	234,0	136,8
13 GroE 1300	NVGR021300WC0FA	1794,0	1794,0	1586,0	1430,0	1287,0	1105,0	786,5	379,6	253,5	148,2
14 GroE 1400	NVGR021400WC0FA	1932,0	1932,0	1708,0	1540,0	1386,0	1190,0	847,0	408,8	273,0	159,6
15 GroE 1500	NVGR021500WC0FA	2070,0	2070,0	1830,0	1650,0	1485,0	1275,0	907,5	438,0	292,5	171,0
16 GroE 1600	NVGR021600WC0FA	2208,0	2208,0	1952,0	1760,0	1584,0	1360,0	968,0	467,2	312,0	182,4
17 GroE 1700	NVGR021700WC0FA	2346,0	2346,0	2074,0	1870,0	1683,0	1445,0	1028,5	496,4	331,5	193,8
18 GroE 1800	NVGR021800WC0FA	2484,0	2484,0	2196,0	1980,0	1782,0	1530,0	1089,0	525,6	351,0	205,2
19 GroE 1900	NVGR021900WC0FA	2622,0	2622,0	2318,0	2090,0	1881,0	1615,0	1149,5	554,8	370,5	216,6
20 GroE 2000	NVGR022000WC0FA	2760,0	2760,0	2440,0	2200,0	1980,0	1700,0	1210,0	584,0	390,0	228,0
21 GroE 2100	NVGR022100WC0FA	2898,0	2898,0	2562,0	2310,0	2079,0	1785,0	1270,5	613,2	409,5	239,4
22 GroE 2200	NVGR022200WC0FA	3036,0	3036,0	2684,0	2420,0	2178,0	1870,0	1331,0	642,4	429,0	250,8
23 GroE 2300	NVGR022300WC0FA	3174,0	3174,0	2806,0	2530,0	2277,0	1955,0	1391,5	671,6	448,5	262,2
24 GroE 2400	NVGR022400WC0FA	3312,0	3312,0	2928,0	2640,0	2376,0	2040,0	1452,0	700,8	468,0	273,6
25 GroE 2500	NVGR022500WC0FA	3450,0	3450,0	3050,0	2750,0	2475,0	2125,0	1512,5	730,0	487,5	285,0
26 GroE 2600	NVGR022600WC0FA	3588,0	3588,0	3172,0	2860,0	2574,0	2210,0	1573,0	759,2	507,0	296,4



Constant current discharge



1.75 V/C - Discharge in A at 20°C											
Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WCoFA	172,5	158,4	126,0	108,0	94,5	78,0	50,7	22,8	15,6	7,5
4 GroE 100	NVGR020100WCoFA	230,0	211,2	168,0	144,0	126,0	104,0	67,6	30,4	20,8	10,0
5 GroE 125	NVGR020125WCoFA	287,5	264,0	210,0	180,0	157,5	130,0	84,5	38,0	26,0	12,5
6 GroE 150	NVGR020150WCoFA	345,0	316,8	252,0	216,0	189,0	156,0	101,4	45,6	31,2	15,0
7 GroE 175	NVGR020175WCoFA	402,5	369,6	294,0	252,0	220,5	182,0	118,3	53,2	36,4	17,5
8 GroE 200	NVGR020200WCoFA	460,0	422,4	336,0	288,0	252,0	208,0	135,2	60,8	41,6	20,0
9 GroE 225	NVGR020225WCoFA	517,5	475,2	378,0	324,0	283,5	234,0	152,1	68,4	46,8	22,5
10 GroE 250	NVGR020250WCoFA	575,0	528,0	420,0	360,0	315,0	260,0	169,0	76,0	52,0	25,0
11 GroE 275	NVGR020275WCoFA	632,5	580,8	462,0	396,0	346,5	286,0	185,9	83,6	57,2	27,5
12 GroE 300	NVGR020300WCoFA	690,0	633,6	504,0	432,0	378,0	312,0	202,8	91,2	62,4	30,0
13 GroE 325	NVGR020325WCoFA	747,5	686,4	546,0	468,0	409,5	338,0	219,7	98,8	67,6	32,5
14 GroE 350	NVGR020350WCoFA	805,0	739,2	588,0	504,0	441,0	364,0	236,6	106,4	72,8	35,0
15 GroE 375	NVGR020375WCoFA	862,5	792,0	630,0	540,0	472,5	390,0	253,5	114,0	78,0	37,5
16 GroE 400	NVGR020400WCoFA	920,0	844,8	672,0	576,0	504,0	416,0	270,4	121,6	83,2	40,0
17 GroE 425	NVGR020425WCoFA	977,5	897,6	714,0	612,0	535,5	442,0	287,3	129,2	88,4	42,5
18 GroE 450	NVGR020450WCoFA	1035,0	950,4	756,0	648,0	567,0	468,0	304,2	136,8	93,6	45,0
5 GroE 500	NVGR020500WCoFA	750,0	750,0	660,0	575,0	520,0	443,0	307,5	146,0	97,5	57,0
6 GroE 600	NVGR020600WCoFA	900,0	900,0	792,0	690,0	624,0	531,6	369,0	175,2	117,0	68,4
7 GroE 700	NVGR020700WCoFA	1050,0	1050,0	924,0	805,0	728,0	620,2	430,5	204,4	136,5	79,8
8 GroE 800	NVGR020800WCoFA	1200,0	1200,0	1056,0	920,0	832,0	708,8	492,0	233,6	156,0	91,2
9 GroE 900	NVGR020900WCoFA	1350,0	1350,0	1188,0	1035,0	936,0	797,4	553,5	262,8	175,5	102,6
10 GroE 1000	NVGR021000WCoFA	1500,0	1500,0	1320,0	1150,0	1040,0	886,0	615,0	292,0	195,0	114,0
11 GroE 1100	NVGR021100WCoFA	1650,0	1650,0	1452,0	1265,0	1144,0	974,6	676,5	321,2	214,5	125,4
12 GroE 1200	NVGR021200WCoFA	1800,0	1800,0	1584,0	1380,0	1248,0	1063,2	738,0	350,4	234,0	136,8
13 GroE 1300	NVGR021300WCoFA	1950,0	1950,0	1716,0	1495,0	1352,0	1151,8	799,5	379,6	253,5	148,2
14 GroE 1400	NVGR021400WCoFA	2100,0	2100,0	1848,0	1610,0	1456,0	1240,4	861,0	408,8	273,0	159,6
15 GroE 1500	NVGR021500WCoFA	2250,0	2250,0	1980,0	1725,0	1560,0	1329,0	922,5	438,0	292,5	171,0
16 GroE 1600	NVGR021600WCoFA	2400,0	2400,0	2112,0	1840,0	1664,0	1417,6	984,0	467,2	312,0	182,4
17 GroE 1700	NVGR021700WCoFA	2550,0	2550,0	2244,0	1955,0	1768,0	1506,2	1045,5	496,4	331,5	193,8
18 GroE 1800	NVGR021800WCoFA	2700,0	2700,0	2376,0	2070,0	1872,0	1594,8	1107,0	525,6	351,0	205,2
19 GroE 1900	NVGR021900WCoFA	2850,0	2850,0	2508,0	2185,0	1976,0	1683,4	1168,5	554,8	370,5	216,6
20 GroE 2000	NVGR022000WCoFA	3000,0	3000,0	2640,0	2300,0	2080,0	1772,0	1230,0	584,0	390,0	228,0
21 GroE 2100	NVGR022100WCoFA	3150,0	3150,0	2772,0	2415,0	2184,0	1860,6	1291,5	613,2	409,5	239,4
22 GroE 2200	NVGR022200WCoFA	3300,0	3300,0	2904,0	2530,0	2288,0	1949,2	1353,0	642,4	429,0	250,8
23 GroE 2300	NVGR022300WCoFA	3450,0	3450,0	3036,0	2645,0	2392,0	2037,8	1414,5	671,6	448,5	262,2
24 GroE 2400	NVGR022400WCoFA	3600,0	3600,0	3168,0	2760,0	2496,0	2126,4	1476,0	700,8	468,0	273,6
25 GroE 2500	NVGR022500WCoFA	3750,0	3750,0	3300,0	2875,0	2600,0	2215,0	1537,5	730,0	487,5	285,0
26 GroE 2600	NVGR022600WCoFA	3900,0	3900,0	3432,0	2990,0	2704,0	2303,6	1599,0	759,2	507,0	296,4

1.70 V/C - Discharge in A at 20°C											
Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WCoFA	196,5	177,0	142,5	120,0	103,5	82,2	51,3	22,8	15,6	7,5
4 GroE 100	NVGR020100WCoFA	262,0	236,0	190,0	160,0	138,0	109,6	68,4	30,4	20,8	10,0
5 GroE 125	NVGR020125WCoFA	327,5	295,0	237,5	200,0	172,5	137,0	85,5	38,0	26,0	12,5
6 GroE 150	NVGR020150WCoFA	393,0	354,0	285,0	240,0	207,0	164,4	102,6	45,6	31,2	15,0
7 GroE 175	NVGR020175WCoFA	458,5	413,0	332,5	280,0	241,5	191,8	119,7	53,2	36,4	17,5
8 GroE 200	NVGR020200WCoFA	524,0	472,0	380,0	320,0	276,0	219,2	136,8	60,8	41,6	20,0
9 GroE 225	NVGR020225WCoFA	589,5	531,0	427,5	360,0	310,5	246,6	153,9	68,4	46,8	22,5
10 GroE 250	NVGR020250WCoFA	655,0	590,0	475,0	400,0	345,0	274,0	171,0	76,0	52,0	25,0
11 GroE 275	NVGR020275WCoFA	720,5	649,0	522,5	440,0	379,5	301,4	188,1	83,6	57,2	27,5
12 GroE 300	NVGR020300WCoFA	786,0	708,0	570,0	480,0	414,0	328,8	205,2	91,2	62,4	30,0
13 GroE 325	NVGR020325WCoFA	851,5	767,0	617,5	520,0	448,5	356,2	222,3	98,8	67,6	32,5
14 GroE 350	NVGR020350WCoFA	917,0	826,0	665,0	560,0	483,0	383,6	239,4	106,4	72,8	35,0
15 GroE 375	NVGR020375WCoFA	982,5	885,0	712,5	600,0	517,5	411,0	256,5	114,0	78,0	37,5
16 GroE 400	NVGR020400WCoFA	1048,0	944,0	760,0	640,0	552,0	438,4	273,6	121,6	83,2	40,0
17 GroE 425	NVGR020425WCoFA	1113,5	1003,0	807,5	680,0	586,5	465,8	290,7	129,2	88,4	42,5
18 GroE 450	NVGR020450WCoFA	1179,0	1062,0	855,0	720,0	621,0	493,2	307,8	136,8	93,6	45,0
5 GroE 500	NVGR020500WCoFA	840,0	840,0	725,0	630,0	570,0	480,0	327,5	146,0	97,5	57,0
6 GroE 600	NVGR020600WCoFA	1008,0	1008,0	870,0	756,0	684,0	576,0	393,0	175,2	117,0	68,4
7 GroE 700	NVGR020700WCoFA	1176,0	1176,0	1015,0	882,0	798,0	672,0	458,5	204,4	136,5	79,8
8 GroE 800	NVGR020800WCoFA	1344,0	1344,0	1160,0	1008,0	912,0	768,0	524,0	233,6	156,0	91,2
9 GroE 900	NVGR020900WCoFA	1512,0	1512,0	1305,0	1134,0	1026,0	864,0	589,5	262,8	175,5	102,6
10 GroE 1000	NVGR021000WCoFA	1680,0	1680,0	1450,0	1260,0	1140,0	960,0	655,0	292,0	195,0	114,0
11 GroE 1100	NVGR021100WCoFA	1848,0	1848,0	1595,0	1386,0	1254,0	1056,0	720,5	321,2	214,5	125,4
12 GroE 1200	NVGR021200WCoFA	2016,0	2016,0	1740,0	1512,0	1368,0	1152,0	786,0	350,4	234,0	136,8
13 GroE 1300	NVGR021300WCoFA	2184,0	2184,0	1885,0	1638,0	1482,0	1248,0	851,5	379,6	253,5	148,2
14 GroE 1400	NVGR021400WCoFA	2352,0	2352,0	2030,0	1764,0	1596,0	1344,0	917,0	408,8	273,0	159,6
15 GroE 1500	NVGR021500WCoFA	2520,0	2520,0	2175,0	1890,0	1710,0	1440,0	982,5	438,0	292,5	171,0
16 GroE 1600	NVGR021600WCoFA	2688,0	2688,0	2320,0	2016,0	1824,0	1536,0	1048,0	467,2	312,0	182,4
17 GroE 1700	NVGR021700WCoFA	2856,0	2856,0	2465,0	2142,0	1938,0	1632,0	1113,5	496,4	331,5	193,8
18 GroE 1800	NVGR021800WCoFA	3024,0	3024,0	2610,0	2268,0	2052,0	1728,0	1179,0	525,6	351,0	205,2
19 GroE 1900	NVGR021900WCoFA	3192,0	3192,0	2755,0	2394,0	2166,0	1824,0	1244,5	554,8	370,5	216,6
20 GroE 2000	NVGR022000WCoFA	3360,0	3360,0	2900,0	2520,0	2280,0	1920,0	1310,0	584,0	390,0	228,0
21 GroE 2100	NVGR022100WCoFA	3528,0	3528,0	3045,0	2646,0	2394,0	2016,0	1375,5	613,2	409,5	239,4
22 GroE 2200	NVGR022200WCoFA	3696,0	3696,0	3190,0	2772,0	2508,0	2112,0	1441,0	642,4	429,0	250,8
23 GroE 2300	NVGR022300WCoFA	3864,0	3864,0	3335,0	2898,0	2622,0	2208,0	1506,5	671,6	448,5	262,2
24 GroE 2400	NVGR022400WCoFA	4032,0	4032,0	3480,0	3024,0	2736,0	2304,0	1572,0	700,8	468,0	273,6
25 GroE 2500	NVGR022500WCoFA	4200,0	4200,0	3625,0	3150,0	2850,0	2400,0	1637,5	730,0	487,5	285,0
26 GroE 2600	NVGR022600WCoFA	4368,0	4368,0	3770,0	3276,0	2964,0	2496,0	1703,0	759,2	507,0	296,4

02/2005 Subject to alterations.

